



Protect Your Vehicle!

Global defense against the elements



Swiss Technology

Your Vehicle Can and Will Rust!

Waxoyl is here to help.

Why Waxoyl is the Best


Other rustproofing products simply hide rust. They dry, crack, and eventually flake off, exposing rust problems. Waxoyl's advanced chemistry forms a tough, flexible barrier that kills existing surface rust, never dries, and sticks permanently. Requires minimal surface preparation for a lifetime of protection.

CELEBRATING



The Waxoyl Brand

Stands for more than 60 years of experience in the fight against corrosion and weather damage. Trusted by specialists the world over, from showrooms to manufacturers, railways to shipyards.



Waxoyl's 2-Part Corrosion Prevention System

Part 1

Waxoyl 120-4 for Cavity Protection


Because many corrosion problems begin inside untreated cavities where moisture lurks, Waxoyl Professional 120-4 fogs & penetrates the narrowest spaces, ensuring maximum protection. Utilizes existing drains, no drilling required.




Part 2

Hardwax for Underbody Protection

A tough, long lasting, wax-based compound that contains powerful corrosion fighting chemicals and forms a flexible barrier to keep elements out. Unlike other undercoating products, Waxoyl will never trap moisture. Protects for the life of the vehicle.



Before



After



Product Overview

Waxoyl is a unique hybrid product that uses wax to provide a durable, flexible barrier combined with the strongest corrosion fighting chemicals.

The barrier protection of Waxoyl never fully hardens and on a hot day can self-heal scratches and chips. Unlike the rubberized, asphalt, or epoxy, Waxoyl will never aid and abet corrosion by trapping salt and moisture between the barrier and what it is protecting. The chemical protection in Waxoyl is second to none as well.

Benefits of the product:

- Two part system:
 - Waxoyl 120-4 cavity protection creeps and penetrates deep into seams, which is crucial as half the corrosion issues originate on the inside of vehicle cavities.
 - Hardwax for the underbody creates a tough, flexible barrier combined with superior corrosion fighting chemicals that will not trap salt or moisture. "Self-healing", on a hot day scratches and stone chips disappear.
- Save money, when vehicles last longer and enjoy a dramatically higher resale value.
- One application protects for the life of most vehicles. In extreme corrosion environments with high abrasion (dirt roads) driving, annual inspections are encouraged. Touch ups are easy and only necessary where the product is visibly worn.
- Will not damage seals, plastics, wiring, or rubbers, and actually works as a sealant/lubricant for window tracks and an insulator to electrical connections.
- Displaces moisture to achieve optimum bond. Can be applied to wet vehicles. This is crucial as cavities never truly dry.
- No noxious fumes, environmentally friendly.
- Will not drip or collect road grime.
- No drilling required EVER. Waxoyl's application tools snake into cavities to protect without breaking the paint surface or plugging.
- No lapses in coverage. Ask yourself, "when did my oil-undercoating wear off?" Waxoyl protects day after day and year after year.
- Matte black finish makes the undercarriage of the vehicle look like new.
- **Will not void vehicle warranties.**
- **Globally approved by nearly every major auto-manufacturer.**



Ready for the elements with Waxoyl products.



120-4 Cavity Protection



16.9oz. (500ml) Aerosol
W5004P*



33.8oz. (1L)
W5003PL



1.3gal. (5L) TIN
W5003P



5 Gal. (18.9L)
W5003PB



15.8gal. (60L) KEG
W5003PK

Waxoyl 120-4 provides excellent corrosion protection for cavities. Prevents rust like no other, 120-4 Rust Inhibitor is a clear wax based formula with the highest concentration inhibitors available that will remain effective for decades in cavities like rocker panels, doors and chassis. One application protects for the life of the vehicle. Spray on fasteners, between metal parts, use as an assembly lube and just about everywhere else. Slows existing corrosion. Displaces moisture to achieve an optimum bond. *Aerosol (W5004P) for surface application only, will not fog cavities. For cavity protection via aerosol, use Power Shield (W5004PF) and wand (W5004PFW).

Key Benefits:

- No drilling - Professional application tools snake through existing drains.
- "Fogs" the cavities to prove total coverage, because half the issues start inside.
- Penetrates deep into seams, providing protection where it is most needed.
- A little goes a long way! Optimal protection with only .04mm dry film thickness. Protects over 225ft²/gal.
- Body shop approved, contains no silicones or fluorocarbons.
- Safe on paint finishes, seals and electrical connectors. Lubricates door hardware.
- Active protection from -40°F to 300°F.
- Easy to clean with vegetable oil or solvents.

Product Consumption Chart:



| Mini | Mid-Sized | Large | Truck |
|---------------------------|---------------------------|---------------------------|------------------------|
| 0.75-1.13L (0.8-1.2qt) | 0.94-1.41L (1.0-1.5qt) | 1.41-2.83L (1.5-3.0qt) | 1.9-3.78L (2.0-4qt) |





Hardwax Underbody Protection



16.9oz. (500ml) Aerosol
W5006P*



33.8oz. (1L)
W5005PL



1.3gal. (5L) TIN
W5005P



5gal. (18.9L)
W5005PB



15.8gal. (60L) KEG
W5005PK

Hardwax provides superior underbody corrosion protection for all types of vehicles, marine applications and metal structures. Forms a tough, flexible, wax-based barrier that keeps the elements out while providing unparalleled chemical protection that completely interrupts electrochemical oxidization (corrosion) for all types of metals. From bridges to cars, Hardwax has a rich history of protection in a variety of applications.

Key Benefits:

- Simple to use and efficient, Waxoyl Professional tools make application easy and require no cleaning after use, you can even leave excess product in the sprayer.
- Kills existing surface rust!
- Adheres equally well to wet or dry metal. The unique capillary action displaces moisture to achieve an optimum bond, even in damp environments.
- A little goes a long way! Optimal protection with only .06mm dry film thickness. Protects over 200ft²/gal.
- Insulates and provides sound-proofing.
- Protects from -30°F to 302°F.
- Body shop approved, contains no silicones or fluorocarbons.
- Safe on paint finishes, seals and electrical connectors. Lubricates door hardware.
- Very resistant to aging, active protection for decades.
- Easy to clean with vegetable oil or solvents.

Product Consumption Chart:



| Mini | Mid-Sized | Large | Truck |
|--------------|--------------|--------------|--------------|
| 1-1.5qt. | 1.5-2.0qt. | 2-3.5qt. | 4-9.0qt. |
| (0.94-1.41L) | (1.41-1.89L) | (1.89-3.31L) | (3.78-8.51L) |





Sprayers

WWXA Economical - Hardwax and/or 120-4

Great flexibility and quality at an affordable price. This “do-it-all” sprayer delivers both Hardwax for the underbody and Waxoyl 120-4 for the cavities. Easy to fill, with a large capacity. If you want an affordable option that does it all, this is it, but when used as a single sprayer setup you will need to empty and clean when switching products.

*Box includes high-flow nozzle for Hardwax and coupler to accept wands W5012, W5015, W5014 (see page 7).



WWXA

WHRS Waxoyl 120-4

The go-to sprayer for professional application of Waxoyl 120-4 in the cavities. High-quality, made in Germany by SATA. Lightweight with higher pressure and lower capacity, this sprayer is exceptional at atomizing Waxoyl 120-4 to “fog” the cavities. *Box includes HRS sprayer only. Must be combined with wands W5015, W5014 to spray (see page 7).



WHRS

WHRS-SF Hardwax

If you are applying high volumes of Hardwax and want a durable tool with excellent spray pattern, this is it. High-quality, made in Germany by SATA. With a 50-ounce capacity and a large mouth for easy filling the HRS-SF gets the job done quick and easily. Sprayer only, no application wands (see page 7). *For a kit with the W5012-SF high volume application wand and direct spray nozzle see part number WHRS-SF-KIT.



WHRS-SF

W5017 Hardwax

Low-cost, no frills broadcast sprayer just for applying Hardwax to the underbody. It is not compatible with any wands, but may be combined with an optional metal fan-tip (P/N W5017M) for a tighter spray pattern and less overspray. Box includes high-flow Hardwax sprayer.



W5017M

W5017

W5017S Hardwax

Just for applying Hardwax to the underbody with 1 Litre cartridge (P/N W5005PL). It is not compatible with any wands. Box includes high-flow Hardwax sprayer for 1 Litre with a spare spray head.



W5017S



Sprayer Wands

Hardwax Underbody Wands

W5012


The “K2 Wand” reaches into tight spaces like wheel wells and the tops of frame rails to spray Waxoyl Hardwax for the ultimate underbody protection. Fits WWXA sprayer.

W5012-SF

The “K2-SF Wand” reaches into tight spaces like wheel wells and the tops of frame rails to spray Waxoyl Hardwax for the ultimate underbody protection. *Fits only the WHRS-SF sprayer.

W5017-SF

The High-Flow Round Spray Nozzle for HRS-SF sprayer fits directly into the quick coupler and is used to spray Hardwax directly from the sprayer without a wand. Excellent for spraying large areas efficiently. *Works only on HRS-SF sprayer.



| Hardwax Wand Fitment Guide | |
|----------------------------|----------------------|
| Wand | Sprayer |
| W5012 | WWXA sprayer |
| W5012-SF | WHRS-SF sprayer only |
| W5017-SF | WHRS-SF sprayer only |


120-4 Cavity Wax Wands

W5015

The “K3 360° Wand” snakes deep into cavities like frame rails, quarter panels, trunk lids and hoods in order to “fog” their inner surfaces. Its small diameter helps it fit into drains and plug holes without drilling. *Fits both the HRS and WX-A sprayers. *Accepts replacement tip W5015R.

W5014

The “K4 Directional Wand” sneaks into drain holes at the bottom of vehicle doors and deliver Waxoyl Professional 120-4. Due to its directional spray pattern, it is also ideal for surface application. With a flat and narrow tip, this wand gets into the tightest places without drilling. *Fits both the HRS and WX-A sprayers.



| 120-4 Cavity Wand Fitment Guide | |
|---------------------------------|------------------------|
| Wand | Sprayer |
| W5015 | WHRS and WWXA sprayers |
| W5014 | WHRS and WWXA sprayers |



Equipment Kits

WAX1

Great flexibility at an affordable price, the WAX1 starter kit includes a WX-A sprayer and all the wands required to spray both Hardwax for the underbody and Waxoyl 120-4 for the cavities. The WX-A sprayer is easy to fill and has a large capacity. If you want an affordable option that does it all, this is it. The only downside to a single sprayer setup is you'll need to empty and clean when switching products.



WAX2

This 2-sprayer starter kit includes all the tools necessary to do a complete Waxoyl application to the cavities and underbody. Spray Hardwax underbody protection with a WX-A sprayer using a high-flow spray nozzle or the included W5012 wand for detail work. This sprayer is easy to fill, has a large capacity canister, and sprays Hardwax beautifully. Waxoyl 120-4 cavity protection is sprayed with the light-weight, high-pressure SATA HRS sprayer coupled with the W5015 and W5014 wands. Together these tools fog the cavities for complete protection.



WAX3

Looking for top-end professional tools? This Swiss and German made 2-sprayer kit includes all the tools necessary to do a complete Waxoyl application to the cavities and underbody. Spray Hardwax underbody protection with a SATA HRS-SF sprayer using a high-flow spray nozzle or an included W5012-SF wand for detail work. This sprayer is easy to fill, has a large capacity canister, and sprays Hardwax beautifully. Waxoyl 120-4 cavity protection is sprayed with the light-weight, high-pressure SATA HRS sprayer coupled with the W5015 and W5014 wands. Together these tools deliver the ultimate protection.



WHRS-SF-KIT

For Hardwax only. A durable, high-volume tool with an excellent spray pattern. This sprayer has a 50-ounce capacity and a large fill area to make getting the job done quick and easy. Includes W5012-SF spray wand and snub nose high volume spray tip W5017-SF.



WREG

In-line pressure regulator for use with Waxoyl application guns. Pressure range from 0-140 psi. No fittings included.



WFITTING

Hi-Flow fitting kit for use with Waxoyl application guns.





Business in a Box

Whether you're looking to start a business, diversify an existing business, or just want to expand product offerings, we have a "Business in a Box" to fit your needs.

Overview

The Waxoyl Corrosion Protection System helps retain vehicle re-sale value and reduces repair costs, saving customers money while providing excellent profit for application centers.

Waxoyl Benefits to Your Customers:

- Two-part system delivers complete protection
 - Waxoyl 120-4 Cavity Protection creeps and penetrates deep into seams, crucial as corrosion issues often originate inside vehicle cavities.
 - Hardwax Underbody Protection creates a tough, flexible barrier combined with superior corrosion fighting chemicals that will not trap salt or moisture.
- One application protects for the life of most vehicles. In extreme corrosion environments with high abrasion (dirt roads) driving, annual inspections are encouraged. Touch-ups are easy and only necessary where the product is visibly worn.
- Will not damage seals, plastics, wiring, or rubbers, and actually works as a sealant/lubricant for window tracks and an insulator to electrical connections.
- No noxious fumes, environmentally friendly.
- No drilling required. Waxoyl's application tools snake into cavities to protect without breaking the paint surface.
- Matt black finish makes the undercarriage of the vehicle look like new.
- Will not void warranty, as nearly every major manufacturer endorses Waxoyl internationally.

Waxoyl's Benefits to the Application Center:

- Excellent Margins!
- Referrals from the Waxoyl website, which receives over 50,000 unique visitors annually.
- Swiss company with 60 years of global brand recognition and unparalleled quality.
- Cleans up with vegetable oil.
- Easy to apply and overspray will not damage the car's finish.
- Trouble free product line. Virtually zero customer issues or complaints.
- Low start-up costs for shops. Equipment is paid for on first or second application.
- Simple to apply with little training.
- Rust free vehicles are much easier to work on!





Business in a Box

WPIAP Profit in a Pail

This starter kit is simple to get you up and running quickly. Part Number: **WPIAP**

Includes:

| Qty | Part | Description |
|-----|--------------------|--|
| 1 | WAX1 | 1-Sprayer Starter Kit |
| 1 | WREG | Regulator |
| 1 | W5005P | Hardwax Plus Underbody Tin 1.3 Gal. (5L) |
| 1 | W5003PL | 120-4 Plus Cartridge 33.8oz (1L) |
| 1 | WAXCD, WAXCP, WASC | |
| 1 | | Small Sign or Counter Mat |

WPIAP



**33.8oz. (1L)
W5003PL**



W5005P



WREG



WAX1



**WAXCD,
WAXCP,
WAXSC**

WBIAB1 Good

Great flexibility at an affordable price, this starter package includes everything needed to do the job - the equipment from the WAX1 kit, enough product to treat 2-5 vehicles* and some basic marketing materials. Part Number: **WBIAB1**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|------------------------|
| 1 | WAX1 | 1-Sprayer Starter Kit |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |



Product

| Qty | Part | Description |
|-----|--------|--|
| 4 | W5005P | Hardwax Plus Underbody Tin 1.3 Gal. (5L) |
| 1 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

Marketing Material

| Qty | Part | Description |
|-----|-------|--------------------------|
| 1 | WAXCD | Waxoy Counter Display |
| 50 | WAXCP | Waxoy Customer Pamphlets |
| 10 | WAXSC | Waxoy Sample Cards |
| 1 | WAXYS | Waxoy Yard Sign 48"x20" |

W5003P



WAX1

**WAXCD
WAXCP
WAXSC**



W5005P x4



WAXYS

*Depending on vehicle size, type and application.



Business in a Box

WBIAB1B Good+

An ideal place to start, this package includes the WAX2 equipment kit (which includes two sprayers for convenience), enough product to treat 4-10 vehicles* and the marketing material from Kit 1 plus an additional aluminum sign. Part Number: **WBIAB1B**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|------------------------|
| 1 | WAX2 | 2-Sprayer Starter Kit |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|--------|--|
| 5 | W5005P | Hardwax Plus Underbody Tin 1.3 Gal. (5L) |
| 2 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

Marketing Material

| Qty | Part | Description |
|-----|---------|-------------------------------------|
| 1 | WAXCD | Waxoyl Counter Display |
| 50 | WAXCP | Waxoyl Customer Pamphlets |
| 10 | WAXSC | Waxoyl Sample Cards |
| 1 | WAXHWSA | Waxoyl Aluminum/Sintra Sign 36"x12" |
| 1 | WAXYS | Waxoyl Yard Sign 48"x20" |



WAX2



WREG (optional)

WFITTING (optional)



WAXCD, WAXCP, WAXSC

*Depending on vehicle size, type and application.



WAXYS



WAXHWSA



W5003P x2



W5005P x5



Business in a Box

WBIAB2 Better

This pro starter package builds on the 1B package to include enough product to treat 10-20 vehicles* and additional marketing material. Part Number: **WBIAB2**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|------------------------|
| 1 | WAX2 | 2-Sprayer Tool Kit |
| 1 | W5034 | Manual Keg Pump |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|---------|--|
| 1 | W5005PK | Hardwax Plus Underbody Keg 15 Gal. (60L) |
| 2 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

Marketing Material

| Qty | Part | Description |
|-----|---------|------------------------------------|
| 1 | WAXCD | Waxoy Counter Display |
| 100 | WAXCP | Waxoy Customer Pamphlets |
| 25 | WAXSC | Waxoy Sample Cards |
| 1 | WAXHWSA | Waxoy Aluminum/Sintra Sign 36"x12" |
| 1 | WAXYS | Waxoy Yard Sign 48"x20" |



*Depending on vehicle size, type and application.



WAXCD, WAXCP, WAXSC





Business in a Box

WBIAB2C Better+

This pro-starter package builds on the 2 package to include enough product to treat 10-20 vehicles* with additional marketing material and WAX3. Part Number: **WBIAB2C**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|------------------------|
| 1 | WAX3 | 2-Sprayer Tool Kit |
| 1 | W5034 | Manual Keg Pump |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|---------|--|
| 1 | W5005PK | Hardwax Plus Underbody Keg 15 Gal. (60L) |
| 2 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

Marketing Material

| Qty | Part | Description |
|-----|---------|-------------------------------------|
| 1 | WAXCD | Waxoyl Counter Display |
| 100 | WAXCP | Waxoyl Customer Pamphlets |
| 25 | WAXSC | Waxoyl Sample Cards |
| 1 | WAXHWSA | Waxoyl Aluminum/Sintra Sign 36"x12" |
| 1 | WAXYS | Waxoyl Yard Sign 48"x20" |



*Depending on vehicle size, type and application.



WAXHWSA



W5003P x2



WAXYS



W5005PK



W5034

WAXCD, WAXCP, WAXSC



Business in a Box

WBIAB3 Best

Ready to hit the ground running? This ultimate starter package includes the top end equipment, enough products for 20-50 vehicles* and ample marketing material, including a 60"x18" brushed aluminum sign. Part Number: **WBIAB3**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|---------------------------------|
| 1 | WAX3 | 2-Sprayer Professional Tool Kit |
| 2 | W5034 | Manual Keg Pump |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|---------|--|
| 3 | W5005PK | Hardwax Plus Underbody Keg 15 Gal. (60L) |
| 1 | W5003PK | 120-4 Plus Cavity Keg 15 Gal. (60L) |

Marketing Material

| Qty | Part | Description |
|-----|---------|--------------------------------------|
| 2 | WAXCD | Waxoyl Counter Display |
| 200 | WAXCP | Waxoyl Customer Pamphlets |
| 50 | WAXSC | Waxoyl Sample Cards |
| 1 | WAXHSBA | Waxoyl Brushed Aluminum Sign 60"x18" |
| 1 | WAXYS | Waxoyl Yard Sign 48"x20" |



WAXCD, WAXCP, WAXSC

*Depending on vehicle size, type and application.



WAXHSBA



WAXYS



W5003PK



W5005PK x3



W5034 x2



Fleet Equipment Kits

WAXFLEET

Ready to hit the ground running? This ultimate fleet package includes the top end equipment and enough products for 10-20 vehicles* to support your fleet. Part Number: **WAXFLEET**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|---------------------------------|
| 1 | WAX3 | 2-Sprayer Professional Tool Kit |
| 2 | W5034 | Manual Keg Pump |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|---------|--|
| 1 | W5005PK | Hardwax Plus Underbody Keg 15 Gal. (60L) |
| 2 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

*Depending on vehicle size, type and application.



WAXFLEETR

Ready to hit the ground running? This high-quality fleet package includes the top end equipment and enough products for 10-20 vehicles* to support your fleet. Part Number: **WAXFLEETR**

Includes:

Application Tools

| Qty | Part | Description |
|-----|----------|------------------------|
| 1 | WAX2 | 2-Sprayer Tool Kit |
| 1 | W5034 | Manual Keg Pump |
| 1 | WREG | Regulator (optional) |
| 1 | WFITTING | Coupler Kit (optional) |

Product

| Qty | Part | Description |
|-----|---------|--|
| 1 | W5005PK | Hardwax Plus Underbody Keg 15 Gal. (60L) |
| 2 | W5003P | 120-4 Plus Cavity Tin 1.3 Gal. (5L) |

*Depending on vehicle size, type and application.





Power Shield – DIY Aerosol Protection For Cavity & Underbody

The first and only cavity fogging aerosol, because half of corrosion issues start on the inside. A convenient aerosol that stops rust before it starts or slows the advance of pre-existing corrosion. Professional results without professional tools. Power Shield's maximum adhesion formula delivers the highest level of active corrosion fighting chemicals, particularly effective in hard to reach seams, cracks, flanges and edges. Complete cavity protection is easily achieved via the optional 24" flexible 360° wand. Particularly effective on the underbody in low abrasion environments (pavement travel). Excellent for penetrating and slowing existing rust.


Key Benefits:

- Excellent fogging and creep behavior in grooves and seams.
- User-friendly.
- Neutral fragrance, no lasting smell.
- Excellent adhesion, penetrates existing rust.

16.9oz. (500ml)
Aerosol
W5004PF



Optional 24" Wand for Cavities
W5004PFW





DIY Aerosol Kits

Complete DIY protection with Hardwax for the underbody and Power Shield with 360° spray wand for cavity protection. Contains everything needed for professional results without an air compressor or professional tools.

W-DIY-1 Small Unibody

- 5 Hardwax 16.9oz. (500ml) Aerosol
- 2 Power Shield 16.9oz. (500ml) Aerosol
- 1 Wand for Cavities
- 1 Safety Glasses
- 1 Gloves
- 1 Mask
- 1 Instructions



W-DIY-1

W-DIY-2 Large Unibody

- 7 Hardwax 16.9oz. (500ml) Aerosol
- 2 Power Shield 16.9oz. (500ml) Aerosol
- 1 Wand for Cavities
- 1 Safety Glasses
- 1 Gloves
- 1 Mask
- 1 Instructions



W-DIY-2

W-DIY-3 SUV

- 9 Hardwax 16.9oz. (500ml) Aerosol
- 3 Power Shield 16.9oz. (500ml) Aerosol
- 1 Wand for Cavities
- 1 Safety Glasses
- 1 Gloves
- 1 Mask
- 1 Instructions



W-DIY-3

WDIY-4 Truck

- 12 Hardwax 16.9oz. (500ml) Aerosol
- 4 Power Shield 16.9oz. (500ml) Aerosol
- 1 Wand for Cavities
- 1 Safety Glasses
- 1 Gloves
- 1 Mask
- 1 Instructions



W-DIY-4



Topwax-6 Storage Protection

W5002

Provides **Superior Storage Protection** that beats the ravages of time by completely encasing items in a thin layer of wax providing the ultimate storage protection from aggressive environmental damage. Ideal for protecting cars, buses, utility vehicles, construction machines, tools, rail cars, ships and airplanes. Protects all painted and unpainted surfaces on vehicles, machinery, machine parts and tools, etc. Ideal for transportation and storage, provides medium-term protection (up to six months) against environmental damage, e.g. acid rain, ocean spray, soot particles, etc.



1.3gal. (5L)
W5002

Key Benefits:

- Water-repellent and can even be applied on damp surfaces.
- Excellent adhesion, rapidly becomes water resistant.
- Does not damage anodized or rubber parts.
- Contains no silicones or fluorocarbons so surfaces can be painted after de-waxing.
- Must be removed using high-pressure steam cleaner.





Engine and Interior Protection



Engine Shine is Just the Start!

Detail, protect and moisturize the entire engine compartment.

Before

After

Motor Care

A resilient water repellent film that...

- Protects electrical contacts against corrosion.
- Rejuvenates and protects rubber and hoses.
- Excellent anti-corrosive properties.
- Resists high engine compartment temperatures.
- Long lasting.
- Environmentally friendly.
- Looks fantastic!

16.9oz.
(500ml)
W5113



5.0oz.
(150ml)
Aerosol
W5112A



1.3gal. (5L) W5112T



U.P.T.

Water Repellent Upholstery Treatment

- Simple to use 300ml aerosol treats one vehicle.
- Long-term fiber-by-fiber protection that makes upholstery resistant to all kinds of stains.
- Protects against wear and tear by individually coating upholstery fibers creating a barrier that reduces friction between fibers to increase upholstery life span.
- Long lasting adhesion works on all types of upholstery including leather.

10oz.
(300ml)
Aerosol
W5007



1.3gal. (5L)
W5007T



14.5gal. (55L) W5007K





Complete Professional Protection

Global defense against the elements



The Waxoyl Brand stands for more than 60 years of experience in the fight against corrosion and weather damage. Trusted by specialists the world over, Waxoyl provides customized solutions to retain value and the like new qualities of all types of transportation, machinery and structures. Tenured by decades of use in the severe conditions of Alaska, Russia, Europe, India, Malaysia, Canada, Thailand, the Continental United States, South America, and Africa; Waxoyl products stand the test of time in even the harshest environments. Approved by the American Standard Testing Bureau (ASTB), Swiss Government Testing Bureau (EMPA), German Technische Überwachungsverein Institute (TÜV), South African Bureau of Standards (SABS), R&D Institute for Transport Engineering Russia (TsNIIS), Russian Maritime Register of Shipping (RS), Automotive Research Association of India (ARAI), Italian Laboratorio Prevenzione Incendi (LAPI), Technical Research Institute of Sweden (SP). Used by leading car, bus and truck manufacturers, vehicle importers, PDI centers, rail coach manufacturer and heavy duty earth moving equipment manufacturers. This vast experience and testing means that users of Waxoyl can rest assured that every product that bears the Waxoyl logo is of superior quality and backed by unparalleled knowledge and support.

Endorsed Internationally

